Index

Subjects

Acitretin, efficacy in keratoderma palmo-plantaris papulosa (Correspondence), 104
Acral epidermolytic hyperkeratosis (Case report), 342
Acrokeratoderma, punctate, a new variant (Case report), 693
Adamantiades–Behçet's disease, anticardiolipin antibodies in, 281
Adhesion molecule-1, soluble intercellular, levels in psoriasis, 34
Agranulocytosis, dapsone-induced (Correspondence), 702
Allopurinol, toxic pustuloderma induced by (Case report), 95
Alopecia
  chemically-induced cosmetic, 537
  scarring, clinicopathological study, 533
Amalgam restorations, diagnosis of oral mucosal hypersensitivity to, 38
Amyloidosis
  β_2-microglobulin-induced in haemodialysed patient, 686
  systemic, complicating severe dominant dystrophic epidermolysis bullosa (Correspondence), 708
Angio-oedema, as presentation of thyroid carcinoma (Correspondence), 588
Anticardiolipin antibodies, in Adamantiades–Behçet's disease, 281
Atopic dermatitis
  chronic severe adult, narrow-band (TL-01) UVB air-conditioned phototherapy, 49
  enhanced synthesis of cysteinyl leukotrienes, 627
  permanent remission with cyclosporin A (Case report), 213
Atopic disorders, and T_H2 clone (Correspondence), 102
Atopic eczema, superantigenic exotoxin secretion by *Staphylococcus aureus* in, 631
Atypical mole syndrome, primary acquired melanosis of the conjunctiva as manifestation (Case report), 86
Azathioprine, nephrotoxicity (Correspondence), 106

Barrier function, and regulation of lipid and DNA synthesis (Review), 473
Basal cell carcinoma
  and cystic fibrosis (Correspondence), 699
  epidermis overlying, 644
Beta-lactam antibiotics, generation of $CD8^+$ T-lymphocyte clones from patients with cutaneous reactions to, 619
β_2-microglobulin, amyloidosis induced by in haemodialysed patient (Case report), 686
Betamethasone-17-valerate, topical, and inhibition of heat-induced vasodilatation, 45
Blaschko's lines, early drawing (Correspondence), 464
Blood pressure, effect of low-dose cyclosporin A therapy on, 550
Book Reviews:
  A Colour Atlas of Arthropods in Clinical Medicine. W.Peters, 471
  Atlas of Psoriasis. L.Fry, 710
  Behçet's Disease: Basic and Clinical Aspects. Edited by J.Desmond O'Duffy and E.Kokmen, 232
  Chemotactic Cytokines: Biology of the Inflammatory Peptide Supergene Family. Edited by J.Westwick, I.J.D.Lindley and S.L.Kunkel, 232
  Clinical Tropical Dermatology. Edited by O.Canizares and R.Harman, 107
  Cutaneous Cryosurgery—Principles and Clinical Practice. R.Dawber, G.Colver and A.Jackson, 594
  Dermatologie Professionnelle et de l'Environnement. J.M.Lachapelle, P.Frimat, D.Tennstedt and G.Ducombs, 710
  Differential Diagnosis in Dermatology. R.Ashton and B.Leppard, 233
  Differential Diagnosis in Dermatopathology. A.B.Ackerman, A.M.N.Mendonca and Y.Guo, 108
  Illustrated Atlas of Cutaneous Surgery. J.L.Fewkes, M.L.Cheney and S.V.Pollack, 233
  Management and Treatment of Benign Cutaneous Vascular Lesions. Oon Tian Tan, 594
  Manual of Clinical Problems in Dermatology. Edited by S.M. Olbricht, M.E.Bigby and K.A.Arndt, 361
  Photochemotherapy in Dermatology. Edited by E.Abel, 594
  Photosensitivity. Topics in Clinical Dermatology. V.A.DeLeo, 710
  Textbook of Clinical Dermatology. V.N.Sehgal and S.Jain, 107
  Topics in Clinical Dermatology—Applied Immunodermatology. Edited by M.C.Ray, 232
  Viral Warts. Biology and Treatment. M.H.Bunney, C.Benton and H.A.Cubie, 109
  Year Book of Dermatology. Edited by A.J.Sober and T.B.Fitzpatrick, 108
Borrelia burgdorferi, cutaneous fibroses induced by, (Case report), 674
Bullous pemphigoid
  eruption resembling, associated with scabies (Case report), 217
  herpes simplex virus infection associated (Correspondence), 358
  IgE and related phenomena, 371
Buschke–Fischer's disease, efficacy of acitretin (Correspondence), 104

C3 nephritic factor (Correspondence), 589
Calcitriol, in treatment of chronic plaque psoriasis, 566
Calmodulin antagonists, antiproliferative effects on keratinocytes, 143

Index

Subjects

Acitretin, efficacy in keratoderma palmo-plantaris papulosa (Correspondence), 104
Acral epidermolytic hyperkeratosis (Case report), 342
Acrokeratoderma, punctate, a new variant (Case report), 693
Adamantiades–Behçet's disease, anticardiolipin antibodies in, 281
Adhesion molecule-1, soluble intercellular, levels in psoriasis, 34
Agranulocytosis, dapsone-induced (Correspondence), 702
Allopurinol, toxic pustuloderma induced by (Case report), 95
Alopecia
  chemically-induced cosmetic, 537
  scarring, clinicopathological study, 533
Amalgam restorations, diagnosis of oral mucosal hypersensitivity to, 38
Amyloidosis
  β_2-microglobulin-induced in haemodialysed patient, 686
  systemic, complicating severe dominant dystrophic epidermolysis bullosa (Correspondence), 708
Angio-oedema, as presentation of thyroid carcinoma (Correspondence), 588
Anticardiolipin antibodies, in Adamantiades–Behçet's disease, 281
Atopic dermatitis
  chronic severe adult, narrow-band (TL-01) UVB air-conditioned phototherapy, 49
  enhanced synthesis of cysteinyl leukotrienes, 627
  permanent remission with cyclosporin A (Case report), 213
Atopic disorders, and T_H2 clone (Correspondence), 102
Atopic eczema, superantigenic exotoxin secretion by *Staphylococcus aureus* in, 631
Atypical mole syndrome, primary acquired melanosis of the conjunctiva as manifestation (Case report), 86
Azathioprine, nephrotoxicity (Correspondence), 106

Barrier function, and regulation of lipid and DNA synthesis (Review), 473
Basal cell carcinoma
  and cystic fibrosis (Correspondence), 699
  epidermis overlying, 644
Beta-lactam antibiotics, generation of $CD8^+$ T-lymphocyte clones from patients with cutaneous reactions to, 619
β_2-microglobulin, amyloidosis induced by in haemodialysed patient (Case report), 686
Betamethasone-17-valerate, topical, and inhibition of heat-induced vasodilatation, 45
Blaschko's lines, early drawing (Correspondence), 464
Blood pressure, effect of low-dose cyclosporin A therapy on, 550
Book Reviews:
  A Colour Atlas of Arthropods in Clinical Medicine. W.Peters, 471
  Atlas of Psoriasis. L.Fry, 710
  Behçet's Disease: Basic and Clinical Aspects. Edited by J.Desmond O'Duffy and E.Kokmen, 232
  Chemotactic Cytokines: Biology of the Inflammatory Peptide Supergene Family. Edited by J.Westwick, I.J.D.Lindley and S.L.Kunkel, 232
  Clinical Tropical Dermatology. Edited by O.Canizares and R.Harman, 107
  Cutaneous Cryosurgery—Principles and Clinical Practice. R.Dawber, G.Colver and A.Jackson, 594
  Dermatologie Professionnelle et de l'Environnement. J.M.Lachapelle, P.Frimat, D.Tennstedt and G.Ducombs, 710
  Differential Diagnosis in Dermatology. R.Ashton and B.Leppard, 233
  Differential Diagnosis in Dermatopathology. A.B.Ackerman, A.M.N.Mendonca and Y.Guo, 108
  Illustrated Atlas of Cutaneous Surgery. J.L.Fewkes, M.L.Cheney and S.V.Pollack, 233
  Management and Treatment of Benign Cutaneous Vascular Lesions. Oon Tian Tan, 594
  Manual of Clinical Problems in Dermatology. Edited by S.M. Olbricht, M.E.Bigby and K.A.Arndt, 361
  Photochemotherapy in Dermatology. Edited by E.Abel, 594
  Photosensitivity. Topics in Clinical Dermatology. V.A.DeLeo, 710
  Textbook of Clinical Dermatology. V.N.Sehgal and S.Jain, 107
  Topics in Clinical Dermatology—Applied Immunodermatology. Edited by M.C.Ray, 232
  Viral Warts. Biology and Treatment. M.H.Bunney, C.Benton and H.A.Cubie, 109
  Year Book of Dermatology. Edited by A.J.Sober and T.B.Fitzpatrick, 108
Borrelia burgdorferi, cutaneous fibroses induced by, (Case report), 674
Bullous pemphigoid
  eruption resembling, associated with scabies (Case report), 217
  herpes simplex virus infection associated (Correspondence), 358
  IgE and related phenomena, 371
Buschke–Fischer's disease, efficacy of acitretin (Correspondence), 104

C3 nephritic factor (Correspondence), 589
Calcitriol, in treatment of chronic plaque psoriasis, 566
Calmodulin antagonists, antiproliferative effects on keratinocytes, 143

Capillary underperfusion, in chronic venous insufficiency, 249
Chloracne, light cautery and EMLA in treatment, 313
Chromoblastomycosis, response to treatment with itraconazole (Case report), 436
Chronic venous insufficiency, capillary underperfusion in, 249
Clinical trials, inadequate size of 'negative' 317
Clobetasol propionate, in treatment of lupus erythematosus profundus (Correspondence), 103
Coconut oil, failure to accelerate psoriasis clearance in narrowband UVB therapy, 301
Codon 12 Harvey-*ras* mutations, in non-melanoma human skin cancer, 111
Compression, effect on venous stasis, 255
Condylomata, HPV-6-induced as complication of intertrigo (Case report), 575
Conjunctiva, primary acquired melanosis of as manifestation of atypical mole syndrome (Case report), 86
Corticosteroids
  cutaneous vasoconstriction assay, 660
  intralesional, allergy to, 407
  systemic
    allergy to, 407
    and toxic epidermal necrolysis (Correspondence), 357
CREST syndrome, soft-tissue chondroma as cause of calcinosis in (Correspondence), 225
Cutaneous leishmaniasis
  in British troops from Belize, 63
  occurrence and variable δ gene expression of γ δ T lymphocytes, 388
Cutaneous lymphadenoma (Case report), 339
Cutaneous vasculitis, in hepatitis C virus infection (Correspondence), 359
Cyclosporin A
  effect of etretinate on metabolism, 42
  low-dose
    effect of short-term therapy on renal function and blood pressure in psoriasis, 550
    in pyoderma gangrenosum (Correspondence), 230
    renal function and biopsy findings after 5 years' treatment in psoriasis, 159
  and permanent remission of atopic dermatitis (Case report), 213
Cyklokapron®, fixed drug eruption induced by (Correspondence), 229
Cysteinyl leukotrienes, enhanced synthesis in atopic dermatitis, 627
Cystic fibrosis, and basal cell carcinoma (Correspondence), 701

Dapsone, agranulocytosis induced by (Correspondence), 702
Demodex folliculorum, density in rosacea, 650
Dendrocytes, factor XIIIa-positive, role in HIV-1-positive psoriatics, 29
Dermatitis, widespread, transepidermal water loss and hydrocortisone absorption, 633
Dermatomyositis, subcutaneous changes in (Case report), 451
Dermatophytosis, release of interferon-γ in response to trichophytin (Correspondence), 703
Desmosomal antigens, dynamic expression by cultured keratinocytes, 16
Desmosomal components in pemphigus, immunohistological study, 363
Desmosomes, relationship with lipid lamellae and lamellar bodies, 1
1,25-dihydroxyvitamin D_3, topical treatment of psoriatic plaques with, 666
Doxycycline
  cross-resistant propionibacteria, 556
  in treatment of Sweet's syndrome (Case report), 584
Dysplastic naevi, p53 immunoreactivity in, 606
Dystrophic epidermolysis bullosa, severe dominant, complicated by systemic amyloidosis (Correspondence), 708

Ehlers–Danlos syndrome type VIII (Case report), 458
Epidermis
  barrier function regulation of lipid and DNA synthesis (Review), 473
  human, ultrastructure, 1
  immunohistochemical characterization of plasminogen activator system in psoriasis, 612
  overlying basal cell carcinoma, 644
Epidermolysis bullosa junctionalis progressiva, in three siblings (Case report), 429
Epidermolysis bullosa simplex
  Dowling–Meara type, tonofilament clumping (Case report), 79
  with mottled pigmentation, (Case report), 679
Erythema ab igne, Merkel cell and squamous cell carcinomas arising in (Correspondence), 591
Erythema elevatum diutinum, association with hyperimmunoglobulinaemia D syndrome (Case report), 572
Erythema multiforme, recurrent, 542
Etretinate, effect on cyclosporin metabolism, 42

Fibroblastic rheumatism (Case report), 194
Fibrosis, cutaneous, induced by *Borrelia burgdorferi* 674
Fixed drug eruption, induced by tranexamic acid (Correspondence), 229
Fluconazole, in treatment of sporotrichosis (Case report), 352
5-fluorouracil, pellagra secondary to (Case report), 578
Fogo selvagem, localization of antigens in squamous cell carcinoma cells, 378
Folliculitis, tufted hair (Case report), 454

GM-CSF therapy, and exacerbation of psoriasis (Correspondence), 468
Gold contact allergy, interferon-γ and interleukin-2 production by peripheral blood mononuclear cells (Correspondence), 226
Granuloma, cutaneous oxalate, in haemodialysed patient, (Case report), 690

Haemodialysis
and β_2-microglobulin amyloidosis (Case report), 686
and occurrence of cutaneous oxalate granulomas (Case report), 690
Head lice, new repellent (Correspondence), 357
Heavy metal salts, *in vitro* lymphocyte reactivity to, 38
Heliotherapy, effect on skin and joint symptoms in psoriasis, 172
Hemiplegia, asymmetrical scabies burrows in (Correspondence), 467
Hepatitis C virus antibodies, and porphyria cutanea tarda, 121
Hepatitis C virus infection, cutaneous vasculitis in (Correspondence), 359
Herpes simplex virus infection, associated with bullous pemphigoid (Correspondence), 358
Hexyl nicotinate, vascular response to, 130
Hirsutism, semiquantitative assessment, 259
HPVs *see* human papillomaviruses
HTLV-1, cutaneous disease associated, 483
Human papillomaviruses (HPVs)
clinical morphology of HPV-1-induced warts, 271
in common warts from immunocompetent and immunocompromised patients, 264
HPV-6-induced condylomata in intertrigo (Case report), 575
Hydrocortisone, absorption in widespread dermatitis, 633
Hyperaemia, post-occlusive, drug modulation of *in vivo* vascular reactions before and during, 137
Hyperimmunoglobulinaemia D syndrome, association with erythema elevatum diutinum (Case report), 572

IgE, in bullous pemphigoid, 371
Immune mechanisms, cell-mediated, in pemphigus, 636
Interferon-gamma
production by peripheral blood mononuclear cells in gold contact allergy (Correspondence), 226
release in dermatophytosis in response to trichophytin (Correspondence), 703
Interleukin 1, reduced in delayed pressure urticaria, 500
Interleukin, 2
migration of T lymphocytes to tumour sites in metastatic melanoma after stimulation with, 399
production by peripheral blood mononuclear cells in gold contact allergy (Correspondence), 226
Interleukin 2 receptor, in Sézary syndrome, 124
Interleukin 6, increased in delayed pressure urticaria, 500
Intertrigo, complicated by HPV-6-induced condylomata (Case report), 575
Irritant contact dermatitis, Langerhans cells in human skin lymph, 184
Isotretinoin, spontaneous bruising during treatment (Correspondence), 465
Itraconazole, response of chromoblastomycosis to (Case report), 436

Keratinocytes
antiproliferative effects of calmodulin antagonists, 143
cultured, dynamic expression of pemphigus and desmosomal antigens, 16
Keratins, epidermal, effect of ultraviolet radiation on expression, 10
Keratoacanthoma, mutant p53 oncogene expression (Correspondence), 708
Keratoderma palmo-plantaris papulosa, efficacy of acitretin (Correspondence), 104
Klippel–Trenaunay syndrome, a paradominant trait (Correspondence), 465
Koilonychia, in Sherpas (Correspondence), 592

Lamellar bodies, relationship with lipid lamellae and desmosomes, 1
Lamellar ichthyosis, with laminated membrane structures (Case report), 348
Langerhans cell, in human skin lymph derived from irritant contact dermatitis, 184
Langerhans cell histiocytosis, solitary nodular (Case report), 220
Laser therapy, copper vapour
in facial telangiectasias, 306
in port wine stains 306, 546
Leg ulcers, direct and objective measurement (Correspondence), 226
Leishmaniasis see cutaneous leishmaniasis
Leucocytoclastic vasculitis, in subacute cutaneous lupus erythematosus (Correspondence), 469
Lichen planus, colocalization with vitiligo (Correspondence), 103
Light cautery, in treatment of chloracne, 313
Lipid lamellae, relationship with lamellar bodies and desmosomes, 1
Lupus erythematosus, subacute cutaneous, leucocytoclastic vasculitis in (Correspondence), 469
Lupus erythematosus profundus, treated with clobetasol propionate under a hydrocolloid dressing (Correspondence), 103
Lymphocytes, *in vitro* reactivity to heavy metal salts, 38

Mal de Meleda keratoderma, with pseudoainhum (Case report), 207
Malignant melanoma *see* melanoma
Marrow fibrosis, and vitamin D analogues in psoriasis (Correspondence), 359
Melanoma
evaluation of health education programme for secondary schools, 412
metastatic, migration of T cells to tumour sites after interleukin 2 stimulation, 399
p53 immunoreactivity in, 606
plantar, in a white Caucasian population, 115
Merkel cell carcinoma, arising in erythema ab igne (Correspondence), 591
Minocycline, sensitive propionibacteria, 556

Monilethrix, cortical defect (Case report), 327
Morphoea profunda, solitary (Case report), 99
Mycosis fungoides
  detection of clone-specific DNA in hypopigmented lesions (Case report), 423
  nitrogen mustard concentration in air during topical treatment, 404

Naftifine, modification of neutrophil function by, 393
Nail, continuous formation along bed, 277
Nail varnish, allergy to, 57
Neuropeptides in skin (Review), 597
Neutrophilic eccrine hidradenitis (Case report), 696
Neutrophils, modification of function by naftifine, 393
Nitrogen mustard, concentration in air during treatment of mycosis fungoides, 404
Norfloxacin, photosensitizing potential, 285

Obituary
  Robert Phillipson Warin and Barbara Anne Warin, 223
  Peter Samman, 699
Oral mucosa, diagnosis of hypersensitivity to amalgam restorations, 38
Organic solvents, sclerodermatous syndrome following prolonged exposure to (Case report), 203
Oxalosis, in haemodialysed patient (Case report), 690

p53 protein
  expression in benign and malignant skin tumours, 237
    immunoreactivity in malignant melanoma and dysplastic naevi, 606
    mutant oncogene expression in keratoacanthoma and squa mous cell carcinoma (Correspondence), 708
Paget's disease
  extramammary, ultrastructural study, 189
  umbilical, and prostatic carcinoma (Case report), 448
PAN, treatment with pentoxyfylline (Correspondence), 706
Paraspinal plaque, solitary fibrosing (Case report), 99
Pellagra, secondary to 5-fluorouracil (Case report), 578
Pemphigus
  cell-mediated immune mechanisms in, 636
  immunohistological study of desmosomal components, 363
  paraneoplastic, in T-cell lymphoblastic lymphoma (Case report), 418
Pemphigus antigens, dynamic expression by cultured keratinocytes, 16
Pemphigus foliaceus, Brazilian, localization of antigens in squamous cell carcinoma cells, 378
Pentoxifylline, in treatment of periarteritis nodosa (Correspondence), 706
Periarteritis nodosa, treatment with pentoxyfylline (Correspondence), 706
Peutz–Jeghers syndrome, reproductive tract tumours in (Correspondence), 466
Photochemotherapy
  psoralen-UVB, response of psoriasis to, 296
  UVB, failure of coconut oil to accelerate psoriasis clearance in, 301
Photochemotherapy *see also* PUVA
Phototherapy
  narrow-band (TL-01) UVB air-conditioned, in chronic severe adult atopic dermatitis, 49
  UVB, failure of coconut oil to accelerate psoriasis clearance in, 301
  UVB lamps (Correspondence), 704
Pilosebaceous duct, isolation and maintenance, 242
Plasmapheresis, combined with PUVA in treatment of solar urticaria (Case report), 440
Plasminogen activator
  in psoriatic epidermis, 612
  urokinase-type in human eccrine sweat, 178
Porphyria cutanea tarda, and antibodies to hepatitis C virus, 121
Port wine stains, copper-vapour laser therapy 306, 546
Propionibacteria, tetracycline-resistant, sensitivity to minocycline and cross-resistance to doxycycline, 556
Prostatic carcinoma, and umbilical Paget's disease (Case report), 448
Pseudoainhum, with Mal de Meleda keratoderma (Case report), 207
Pseudo hairy leukoplakia (Correspondence), 589
Psoralens, concentration and sensitivity to PUVA 561
Psoriasis
  chronic plaque, topical calcitriol, 566
  effect of heliotherapy on skin and joint symptoms, 172
  effect of short-term low-dose cyclosporin on renal function and blood pressure, 550
  exacerbation with GM-CSF therapy (Correspondence), 468
  failure of coconut oil to accelerate clearance in narrow-band UVB therapy, 301
  guttate
    Group A streptococcal antigen-specific T lymphocytes in, 493
    immunoblotting of streptococcal antigens in, 151
  HIV-1 positive, role of factor XIIIa-positive dermal dendrocytes in, 29
  immunohistochemical characterization of plasminogen activator system in epidermis, 612
  localization of transglutaminase 1 mRNA in epidermis, 23
  renal function and biopsy findings after 5 years treatment with low-dose cyclosporin, 159
  response to psoralen-UVB photochemotherapy, 296
  response to twice weekly PUVA 166
  soluble intercellular adhesion molecule-1 levels, 34
  study of plaques using scanning laser-Doppler velocimeter, 519
  topical treatment of plaques with 1,25-dihydroxyvitamin D_3, 666
  vitamin D analogues and marrow fibrosis (Correspondence), 359

Pustuloderma, allopurinol-induced toxic (Case report), 95
PUVA
combined with plasmapheresis in treatment of solar urticaria (Case report), 440
effect on expression of epidermal keratins, 10
erythemal sensitivity to, 561
response of psoriasis to twice weekly, 166
Pyoderma gangrenosum, treated with low-dose cyclosporin (Correspondence), 230

Renal function, effect of low-dose cyclosporin A therapy on, 159, 550
Reproductive tract tumours, in Peutz–Jeghers syndrome (Correspondence), 466
13-*cis* retinoic acid, action on pilosebaceous duct *in vitro*, 242
Rheumatism, fibroblastic (Case report), 194
Rosacea, density of *Demodex folliculorum* in, 650

Samman, Peter, obituary, 699
Scabies
associated with bullous pemphigoid-like eruption (Case report), 217
asymmetrical burrows in hemiplegia (Correspondence), 467
Scanning laser-Doppler velocimeter, in study of plaques of psoriasis, 519
Scleroderma, associated with ingestion of L-tryptophan (Case report), 581
Sclerodermatous syndrome, following exposure to organic solvents (Case report), 203
Sebaceous cyst, audit of clinical diagnosis (Correspondence), 587
Seborrhoeic keratosis, radiation-induced squamous carcinoma arising within (Case report), 443
Sézary syndrome, soluble interleukin-2 receptor in, 124
Sherpas, koilonychia in (Correspondence), 592
Skin barrier function, assessment, 130
Skin cancer
evaluation of health education programme for secondary schools, 412
high frequency, high resolution B-scan ultrasound in assessment of, 525
non-melanoma, codon 12 Harvey-*ras* mutations, 111
p53 protein expression in, 237
Skin disease, assessment of area of involvement, 69
Soft-tissue chondroma, as cause of calcinosis in CREST syndrome (Correspondence), 225
Solar urticaria, treatment with combination of plasmapheresis and PUVA (Case report), 440
Sporotrichosis, successful treatment with oral fluconazole (Case report), 352
Squamous cell carcinoma
arising in erythema ab igne (Correspondence), 591
mutant p53 oncogene expression (Correspondence), 708
radiation-induced arising within seborrhoeic keratosis (Case report), 443
Staphylococcus aureus, superantigenic exotoxin secretion in atopic eczema, 631
Streptococcal antigens, immunoblotting in guttate psoriasis, 151
SunCheck® patches, suitability for monitoring the sunburning effectiveness of sunlight, 75
Sunlight, monitoring sunburning effectiveness, 75
Sunscreens, frequency of reactions to, 512
Sweat, eccrine, urokinase-type plasminogen activator in, 178
Sweet's syndrome, treatment with doxycycline (Case report), 584
Systemic lupus erythematosus, bullous eruption of (Case report), 332

T lymphocytes
$CD8^+$, selective generation of clones from patients with reactions to beta-lactam antibiotics, 619
$\gamma\delta$, occurrence and variable δ gene expression in oriental cutaneous leishmaniasis, 388
Group A streptococcal antigen-specific in guttate psoriasis, 493
migration to tumour sites in metastatic melanoma after interleukin 2 stimulation, 399
T-cell lymphoblastic lymphoma, paraneoplastic pemphigus in (Case report), 418
Tanscan® cards, suitability for monitoring the sunburning effectiveness of sunlight, 75
Telangiectasia, facial, copper-vapour laser therapy, 306
T_H2 clone, and atopic disorders (Correspondence), 102
Thrombocytopenia, autoimmune, associated with ingestion of L-tryptophan (Case report), 581
Thyroid carcinoma, presenting as angio-oedema (Correspondence), 588
Toxic epidermal necrolysis, and systemic corticosteroids (Correspondence), 357
Tranexamic acid, fixed drug eruption induced by (Correspondence), 229
Transglutaminase 1 mRNA, localization in normal and psoriatic epidermis, 23
Trichophytin, release of interferon-γ in response to (Correspondence), 703
Trichothiodystrophy-variant, characteristics of hair maintained after grafting on to nude mice, 384
L-tryptophan, scleroderma and autoimmune thrombocytopenia associated with (Case report), 581
Tufted hair folliculitis (Case report), 454

Ultrasound, high frequency, high resolution B-scan in assessment of skin tumours, 525
Ultraviolet radiation, effect on expression of epidermal keratins, 10
Ultraviolet radiation *see also* UVA; UVB
Urticaria, delayed pressure, interleukin 6 and interleukin 1 in, 500
Urticarial vasculitis (Correspondence), 589

UVA, sensitivity to, 561
UVB
effect on expression of epidermal keratins, 10
photochemotherapy
failure of coconut oil to accelerate psoriasis clearance in, 301
response of psoriasis to, 296
phototherapy (Correspondence), 704
in chronic severe adult atopic dermatitis, 49
failure of coconut oil to accelerate psoriasis clearance in, 301

Vasculitis
cutaneous, in hepatitis C virus infection (Correspondence), 359
urticarial (Correspondence), 589
Vasodilatation, heat-induced, inhibition by topical betamethasone-17-valerate, 45
Venous stasis, effect of compression on, 255
Vitamin D analogues, association with marrow fibrosis and psoriasis (Correspondence), 359
Vitiligo, colocalization with lichen planus (Correspondence), 103

Warin, Robert Phillipson and Barbara Anne, obituary, 223
Warts
descriptive epidemiology in British schoolchildren, 504
distribution of HPV types in immunocompetent and immunocompromised patients, 264
HPV-1-induced, clinical morphology, 271
Water loss, transepidermal, 130
in widespread dermatitis, 623

Xeroderma pigmentosum, complementation group F with neurological abnormalities (Case report), 91

Authors

AALTO-KORTE, K. and TURPEINEN, M. Transepidermal water loss and absorption of hydrocortisone in widespread dermatitis, 633

ABANMI, A. see JOSHI, R.K.

ADAMS, S.J. see MORGAN, J.M.

AELVOET, G.E., JORENS, P.G. and ROELEN, L.M. Reply, 465

AGUIRRE, A. see CALDERÓN, M.J.

AHLUWALIA, A. and FLOWER, R.J. Topical betamethasone-17-valerate inhibits heat-induced vasodilatation in man, 45

AITCHISON, T.C. see DWYER, P.K.

AKIYAMA, M., HASHIMOTO, T., SUGIURA, M. and NISHIKAWA, T. Ultrastructural localization of Brazilian pemphigus foliaceus (fogo selvagem) antigens in cultured human squamous cell carcinoma cells, 378

AKSU, A.Y. see CELASUN, B.

AL KHAMIS, O. see JOSHI, R.K.

LAIBAC, M., HARMS, G., ZWINGENBERGER, K., MORRIS, J., YU, R. and CHU, A.C. $\gamma\delta$ T lymphocytes in oriental cutaneous leishmaniasis: occurrence and variable δ gene expression, 388

ALLAN, J.G. see MCHENRY, P.M.

ALTMAN, D.G. see HUGHES, B.R.

AMBACH, A. see ZILLIKENS, D.

ANDERSEN, P., MILIONI, K. and MAIBACH, H. The cutaneous corticosteroid vasoconstriction assay: a reflectance spectroscopic and laser-Doppler flowmetric study, 660

ANDERSEN, P.H., BROICHMANN, P.W. and MAIBACH, H. A corticosteroid, a non-steroidal anti-inflammatory drug and an antihistamine modulate *in vivo* vascular reactions before and during post-occlusive hyperaemia, 137

ANDO, M. see SATO, K.C.

ANGUS, B. see RO, Y.S.

ANSTEY, A. and MARKS, R. Colocalization of lichen planus and vitiligo, 103

AOZASA, K. see YAMAMURA, T.

APPINO, A. see BERNENGO, M.G.

ARACTINGI, S. see REMOND, B.

AROMAA, A. see SNELLMAN, E.

ASADA, Y. see HORIO, T.

ASADA, Y. see SOH, H.

ATKINSON, R.J. see LOWRY, W.S.

ATUKORALA, D.N. see JOSHI, R.K.

ATZPODIEN, J. see VOLKENANDT, M.

BACCHELLA, L. see DYNE, K.M.

BACK, D.J. see WEBBER, I.R.

BADIALI DE GIORGI, L. see PATRIZI, A.

BAGARY, M. see SUVARNA, S.K.

BAKER, B.S. see POWLES, A.V.

BAKER, B.S., BOKTH, S., POWLES, A., GARIOCH, J.J., LEWIS, H., VALDIMARSSON, H. and FRY, L. Group A streptococcal antigen-specific T lymphocytes in guttate psoriatic lesions, 493

BAMBER, J.C. see HARLAND, C.C.

BARKER, J.N.W.N. see SMITH, C.H.

BARLOW, R. see LAWLOR, F.

BARNES, D.M. see MCGREGOR, J.M.

BARR, R.M. see LAWLOR, F.

BARTH, J. see GUY, R.

BASSUKAS, I.D. see FARTASCH, M.

BATAILLE, V., BOYLE, J., HUNGERFORD, J.L. and NEWTON, J.A. Three cases of primary acquired melanosis of the conjunctiva as a manifestation of the atypical mole syndrome, 86

BATES, D.O. see LEUTOLF, O.

BECKER, J.C. see DUMMER, R.

BEGENT, R.H.J. see STEVENS, H.P.

BEKRI, S. see LACOUR, J.PH.

BELANYI, P. see FUSADE, T.

BELDA JR, W. see CASTRO, L.G.M.

BELLON, G. see LACOUR, J.PH.

BERBIS, PH. see HESSE, S.

BERG, M. see LIDÉN, C.

BERGMAN, R., BITTERMAN-DEUTSCH, O., FARTASCH, M., GERSHONI-BARUCH, R. and FRIEDMAN-BIRNBAUM, R. Mal de Meleda keratoderma with pseudoainhum, 207

BERNARD, PH. see RYBOJAD, M.

BERNENGO, M.G., FIERRO, M.T., NOVELLI, M., LISA, F. and APPINO, A. Soluble interleukin-2 receptor in Sézary syndrome: its origin and clinical application, 124

BEVAN, D. see KELLY, R.

BHOGAL, B.S. see BURROWS, N.P.

BILSLAND, D.J. see GEORGE, S.A.

BIRCHER, A.J., LANG-MURITANO, M., PFALTZ, M. and BRUCKNER-TUDERMAN, L. Epidermolysis bullosa junctionalis progressiva in three siblings, 429

BIRD, C. see LAWLOR, F.

BITTERMAN-DEUTSCH, O. see BERGMAN, R.

BITTINER, B. see MAC NEIL, S.

BLACK, M.M. see BURROWS, N.P.

BLANC, F. see REMOND, B.

BLEEHEN, S.S. see COCKBURN, E.M.

BODOKH, I. see LACOUR, J.PH.

BOECKER, C. see HERTL, M.

BÖHLER, U., LENTNER, A., JANSEN, W., GENZEL, I. and WIENERT, V. Direct and objective measurement of the area of leg ulcers, 226

BÖHLER-SOMMEREGGER, K. see NEUMANN, R.A.

BOKTH, S. see BAKER, B.S.

BONESCHI, V. see SCHMITT, E.C.

BÖRNER, W. see DUMMER, R.

BORRADORI, L. see RYBOJAD, M.

BOTELLA, R. and MACKIE, R.M. Cutaneous lymphadenoma: a case report and review of the literature, 339
BOTTOMLEY, W.W., SHEEHAN-DARE, R.A., HUGHES, P. and CUNLIFFE, W.J. A sclerodermatous syndrome with unusual features following prolonged occupational exposure to organic solvents, 203
BOYLE, J. see BATAILLE, V.
BRAATHEN, L.R. see BRAND, C.U.
BRAND, C.U., HUNZIKER, T., LIMAT, A. and BRAATHEN, L.R. Large increase of Langerhans cells in human skin lymph derived from irritant contact dermatitis, 184
BRÖCKER, E.B. see ZILLIKENS, D.
BROICHMANN, P.W. see ANDERSEN, P.H.
BROWN, A.L., WILKINSON, R., THOMAS, T.H., LEVELL, N., MUNRO, C., MARKS, J. and GOODSHIP, T.H.J. The effect of short-term, low-dose cyclosporin on renal function and blood pressure in patients with psoriasis, 550
BRUCKNER-TUDERMAN, L. see BIRCHER, A.J.
BUBOLA, D. see SCHMITT, E.C.
BULL, R.H. see LEUTOLF, O.
BULL, R.H. see NICHOLSON, A.G.
BURG, G. see DUMMER, R.
BURG, G. see ZILLIKENS, D.
BURGE, S.M. see YELL, J.A.
BURGE, S.M., WILSON, C.L., DEAN, D. and WOJNAROWSKA, F. An immunohistological study of desmosomal components in pemphigus, 363
BURGESS, I. New head louse repellent, 357
BURROWS, N.P., BHOGAL, B.S., BLACK, M.M., RUSTIN, M.H.A., ISHIDA-YAMAMOTO, A., KIRTSCHIG, G. and RUSSELL JONES, R. Bullous eruption of systemic lupus erythematosus: a clinicopathological study of four cases, 332
BÜTTNER, P. see ZOUBOULIS, CH.C.

CAJACOB, A. see ITIN, P.H.
CALDERÓN, M.J., LANDA, N., AGUIRRE, A. and DIAZ-PEREZ, J.L. Successful treatment of cutaneous PAN with pentoxifylline, 706
CAMP, R.D.R. see LAWLOR, F.
CAMP, R.D.R. see MCFADDEN, J.P.
CAMPBELL, C., QUINN, A.G. and REES, J.L. Codon 12 Harvey-*ras* mutations are rare events in non-melanoma human skin cancer, 111
CARMICHAEL, A.J. and MARSDEN, J.R. Urticarial vasculitis: a presentation of C3 nephritic factor, 589
CASTANET, J. see LACOUR, J.PH.
CASTELLS-RODELLAS, A. see LUELMO-AGUILAR, J.
CASTRO, L.G.M., BELDA, W. JR, CUCE, L.C., SAMPAIO, S.A.P. and STEVENS, D.A. Successful treatment of sporotrichosis with oral fluconazole: a report of three cases, 352
CELASUN, B., AKSU, A.Y., MAS, R. and FINCI, R. Soft-tissue chondroma as a cause of calcinosis in a patient with CREST syndrome, 225
CERIO, R. see VAN NEER, F.
CERRONI, L. see VOLKENANDT, M.
CETTA, G. see DYNE, K.M.
CHU, A.C. see ALAIBAC, M.
CHU, T.C. see YU, R.C.H.
CLARK, I. see WILSON, A.G.MCT.
COCKBURN, E.M., WOOD, S.M., WALLER, P.C. and BLEEHEN, S.S. Dapsone-induced agranulocytosis: spontaneous reporting data, 702
COLEMAN, R., HARPER, J.I. and LAKE, B.D. Epidermolysis bullosa simplex with mottled pigmentation, 679
COOIJMANS, A.C.M. see VAN VLOTEN, W.A.
COOK, M.G. see NICHOLSON, A.G.
COOK, T. see POWLES, A.V.
COOPER, P.N. see RO, Y.S.
COTTERILL, J.A. see SHEEHAN-DARE, R.A.
COVE, J.H. see EADY, E.A.
CROCKER, G. see MAC NEIL, S.
CUCE, L.C. see CASTRO, L.G.M.
CUNLIFFE, W.J. see BOTTOMLEY, W.W.
CUNLIFFE, W.J. see EADY, E.A.
CUNLIFFE, W.J. see YIP, J.

D'AGAY, M.-F. see RYBOJAD, M.
DAWBER, R.P.R. see DE BERKER, D.A.R.
DAWBER, R.P.R. see NAYAR, M.
DAWSON, R.A. see MAC NEIL, S.
DE BERKER, D.A.R., FERGUSON, D.J.P. and DAWBER, R.P.R. Monilethrix: a clinicopathological illustration of a cortical defect, 327
DE BROUWER, B. see VAN NESTE, J.J.
DEAN, D. see BURGE, S.M.
DEN OTTER, W., KOTEN, J.W., MAAS, R.A. and DERKINDEREN, D.J. Are atopic disorders due to a T_H2 clone?, 102
DERKINDEREN, D.J. see DEN OTTER, W.
DERKSEN, J., MOOLENAAR, A.J., VAN SETERS, A.P. and KOCK, D.F.M. Semiquantitative assessment of hirsutism in Dutch women, 259
DI LERNIA, V. see PATRIZI, A.
DIAMANTIS, I. see ITIN, P.H.
DIAZ-PEREZ, J.L. see CALDERÓN, M.J.
DIEPGEN, T.L. see FARTASCH, M.
DIFFEY, B.L. see HUDSON-PEACOCK, M.J.
DIFFEY, B.L. see SAKUNTABHAI, A.
DODD, H.J. see GAYLARDE, P.M.
DOI, H. see NONOMURA, K.
DOOLEY, J.S. see STEVENS, H.P.
DOUGLAS, W.S. and FITZSIMONS, E.J. Vitamin D analogues, marrow fibrosis and psoriasis, 359
DUBERTRET, L. see REMOND, B.
DUBLIN, E.A. see MCGREGOR, J.M.
DUMMER, R. see ZILLIKENS, D.
DUMMER, R., BECKER, J.C., EILLES, C., SCHÄFER, E., BÖRNER, W. and BURG, G. T cells migrate to tumour sites after extracorporeal interleukin 2 stimulation and reinfusion in a patient with metastatic melanoma, 399
DUNNILL, M.G.S., MALLETT, R.B., HAWKINS, P.N., VAL-

LANCE, P.J.T. and MARSDEN, R.A. Severe dominant dystrophic epidermolysis bullosa complicated by systemic amyloidosis, 708
DURAND, J.M., KAPLANSKI, G., RICHARD, M.A., LEFEVRE, P., QUILES, N., TREPO, C. and SOUBEYRAND, J. Cutaneous vasculitis in a patient infected with hepatitis C virus. Detection of hepatitis C virus RNA in the skin by polymerase chain reaction, 359
DWYER, P.K., MACKIE, R.M., WATT, D.C. and AITCHISON, T.C. Plantar malignant melanoma in a white Caucasian population, 115
DYNE, K.M., VITELLARO-ZUCCARELLO, L., BACCHELLA, L., LANZI, G. and CETTA, G. Ehlers–Danlos syndrome type VIII: biochemical, stereological and immunocytochemical studies on dermis from a child with clinical signs of Ehlers–Danlos syndrome and a family history of premature loss of permanent teeth, 458

EADY, E.A., JONES, C.E., GARDNER, K.J., TAYLOR, J.P., COVE, J.H. and CUNLIFFE, W.J. Tetracycline-resistant propionibacteria from acne patients are cross-resistant to doxycycline, but sensitive to minocycline, 556
EEDY, D.J. Neuropeptides in skin, 597
EGAWA, K., INABA, Y., YOSHIMURA, K. and ONO, T. Varied clinical morphology of HPV-1-induced warts, depending on anatomical factors, 271
EILLES, C. see DUMMER, R.
ELIAS, P.M. see PROKSCH, E.
ESSEX, T.J.H. see SPEIGHT, E.L.

FALANGA, V. see KIRSNER, R.S.
FÄRM, G. see LIDÉN, C.
FARR, P.M. see HUDSON-PEACOCK, M.J.
FARR, P.M. see SAKUNTABHAI, A.
FARR, P.M. see SPEIGHT, E.L.
FARTASCH, M. see BERGMAN, R.
FARTASCH, M., BASSUKAS, I.D. and DIEPGEN, T.L. Structural relationship between epidermal lipid lamellae, lamellar bodies and desmosomes in human epidermis: an ultrastructural study, 1
FAULER, J., NEUMANN, CH., TSIKAS, D. and FRÖLICH, J.C. Enhanced synthesis of cysteinyl leukotrienes in atopic dermatitis, 627
FEINGOLD, K.R. see PROKSCH, E.
FERGUSON, D.J.P. see DE BERKER, D.A.R.
FERGUSON, J. see GEORGE, S.A.
FERGUSON, J. see MOSELEY, H.
FERGUSON, J. and JOHNSON, B.E. Clinical and laboratory studies of the photosensitizing potential of norfloxacin, a 4-quinolone broad-spectrum antibiotic, 285
FERNANDEZ-HERRERA, J. see SANCHEZ-PEREZ, J.
FIERRO, M.T. see BERNENGO, M.G.
FIKRIG, S.M. see SOLOMON, B.A.
FINCI, R. see CELASUN, B.
FINZI, A.F. see SCHMITT, E.C.
FITZGERALD, M.X. see HEALY, E.
FITZSIMONS, E.J. see DOUGLAS, W.S.
FLAGEUL, B. see RYBOJAD, M.
FLEMING, K. see YELL, J.A.
FLOWER, R.J. see AHLUWALIA, A.
FOLEY, P., NIXON, R., MARKS, R., FROWEN, K. and THOMPSON, S. The frequency of reactions to sunscreens: results of a longitudinal population-based study on the regular use of sunscreens in Australia, 512
FORTON, F. and SEYS, B. Density of *Demodex folliculorum* in rosacea: a case-control study using standardized skin-surface biopsy, 650
FOULDS, I.S. see O'DONNELL, B.F.
FRACZYKOWSKA, M. see LANGNER, A.
FRANK, R. see GISSLER, H.M.
FRIEDMAN-BIRNBAUM, R. see BERGMAN, R.
FRITSCH, P.O. see SEPP, N.
FRÖLICH, J.C. see FAULER, J.
FROWEN, K. see FOLEY, P.
FRY, L. see BAKER, B.S.
FRY, L. see POWLES, A.V.
FUJIMOTO, N. see MORIWAKI, S.
FUJIOKA, Y. see SATO, K.C.
FUKUSHIMA, S. see NONOMURA, K.
FUSADE, T., BELANYI, P., JOLY, P., THOMINE, E., MIHOUT, M.F. and LAURET, PH. Subcutaneous changes in dermatomyositis, 451

GARCIA DIEZ, A. see SANCHEZ-PEREZ, J.
GARDNER, K.J. see EADY, E.A.
GARIOCH, J.J. see BAKER, B.S.
GAWKRODGER, D.J. see YIP, J.
GAYLARDE, P.M., SARKANY, I. and DODD, H.J. The effect of compression on venous stasis, 255
GEEN, S.C. see SOLOMON, B.A.
GEISEL, J. see HERTL, M.
GENZEL, I. see BÖHLER, U.
GEORGE, S.A., BILSLAND, D.J., JOHNSON, B.E. and FERGUSON, J. Narrow-band (TL-01) UVB air-conditioned phototherapy for chronic severe adult atopic dermatitis, 49
GEORGE, S.A., BILSLAND, D.J., WAINWRIGHT, N.J. and FERGUSON, J. Failure of coconut oil to accelerate psoriasis clearance in narrow-band UVB phototherapy or photochemotherapy, 301
GERRITSEN, M.J.P., RULO, H.F.C., VAN VLIJMEN-WILLEMS, I., VAN ERP, P.E.J. and VAN DE KERKHOF, P.C.M. Topical treatment of psoriatic plaques with 1,25-dihydroxyvitamin D_3: a cell biological study, 666
GERSHONI-BARUCH, R. see BERGMAN, R.
GILLERY, P. see LACOUR, J.PH.
GILLESPIE, J.M. see VAN NESTE, J.J.
GISSLER, H.M., FRANK, R. and KRAMER, M.D. Immunohistochemical characterization of the plasminogen activator system in psoriatic epidermis, 612
GLAZER, G. see SUVARNA, S.K.

GONZALEZ-CASTRO, U. see LEUMO-AGUILAR, J.
GOODSHIP, T.H.J. see BROWN, A.L.
GOODSHIP, T.H.J. see HUDSON-PEACOCK, M.J.
GREAVES, M.W. see LAWLOR, F.
GREEN, C. Spontaneous bruising during treatment with isotretinoin, 465
GRUSSENDORF-CONEN, E.-I. see RÜBBEN, A.
GUILLET, G. see SASSOLAS, B.
GUSTERSON, B.A. see HARLAND, C.C.
GUY, R., RIDDEN, C., BARTH, J. and KEALEY, T. Isolation and maintenance of the human pilosebaceous duct: 13-*cis* retinoic acid acts directly on the duct *in vitro*, 242

HALEEM, A. see JOSHI, R.K.
HAPPLE, R. An early drawing of Blaschko's lines, 464
HAPPLE, R. Klippel–Trenaunay syndrome: is it a paradominant trait?, 465
HARLAND, C.C. see NICHOLSON, A.G.
HARLAND, C.C., BAMBER, J.C., GUSTERSON, B.A. and MORTIMER, P.S. High frequency, high resolution B-scan ultrasound in the assessment of skin tumours, 525
HARMS, G. see ALAIBAC, M.
HARPER, J.I. see COLEMAN, R.
HARRIS, D. see OSTLERE, L.S.
HARRISON, D. see RO, Y.S.
HARRISON, P. see KAVANAGH, G.M.
HASAN, T. see RÄSÄNEN, L.
HASHIMOTO, T. see AKIYAMA, M.
HASHIZUME, T. see KOGA, T.
HAWKINS, P.N. see DUNNILL, M.G.S.
HAY, R.J. see SMITH, C.H.
HEALY, E., MEENAN, F.O.C., FITZGERALD, M.X. and ROGERS, S. Basal cell carcinoma and cystic fibrosis: a report of two cases, 701
HEARD, S.R. see WILSON, A.G.MCT.
HEPBURN, N.C., TIDMAN, M.J. and HUNTER, J.A.A. Cutaneous leishmaniasis in British troops from Belize, 63
HERMANS, J. see OESTMANN, E.
HERTL, M., GEISEL, J., BOECKER, C. and MERK, H.F. Selective generation of $CD8^+$ T-cell clones from the peripheral blood of patients with cutaneous reactions to beta-lactam antibiotics, 619
HESSE, S., BERBIS, PH. and PRIVAT, Y. Keratodermia palmoplantaris papulosa (Buschke–Fischer's disease): efficacy of acitretin, 104
HEWITT, J.B., SHERIF, A., KERR, K.M. and STANKLER, L. Merkel cell and squamous cell carcinomas arising in erythema ab igne, 591
HIBINO, T. see TAKEMURA, T.
HIRANO, J. see NONOMURA, K.
HIROI, M. see IKEDA, M.
HOLLERAN, W.M. see PROKSCH, E.
HONDA, T. see YAMAMURA, T.
HÖNIGSMANN, H. see NEUMANN, R.A.
HORI, Y. see KOGA, T.
HORIO, T., MIYAUCHI, H., SINDHVANANDA, J., SOH, H., KUROKAWA, I. and ASADA, Y. The effect of ultraviolet (UVB and PUVA) radiation on the expression of epidermal keratins, 10
HORNE, C.H.W. see RO, Y.S.
HOSOKAWA, H. see SOH, H.
HOSOKAWA, Y. see NONOMURA, K.
HUDSON-PEACOCK, M.J., FARR, P.M., DIFFEY, B.L. and GOODSHIP, T.H.J. Combined treatment of solar urticaria with plasmapheresis and PUVA, 440
HUGHES, B.R., ALTMAN, D.G. and NEWTON, J.A. Melanoma and skin cancer: evaluation of a health education programme for secondary schools, 412
HUGHES, P. see BOTTOMLEY, W.W.
HULME, B. see POWLES, A.V.
HUNGERFORD, J.L. see BATAILLE, V.
HUNTER, J.A.A. see HEPBURN, N.C.
HUNTER, T. see MAC NEIL, S.
HUNZIKER, T. see BRAND, C.U.

IKEDA, M., YAMAMOTO, Y., KITAGAWA, N., KODAMA, H., MORIKI, T. and HIROI, M. Solitary nodular Langerhans cell histiocytosis, 220
IMAMURA, S. see MORIWAKI, S.
IMAYAMA, S. see KOGA, T.
INABA, Y. see EGAWA, K.
ISHIDA-YAMAMOTO, A. see BURROWS, N.P.
ISHIZAKI, H. see KOGA, T.
ISONOKAMI, M., NISHIDA, K., OKADA, N. and YOSHIKAWA, K. Cutaneous oxalate granulomas in a haemodialysed patient: report of a case with unique clinical features, 690
ITIN, P.H., CAJACOB, A., LANGAUER, S. and DIAMANTIS, I. Pseudo hairy leukoplakia, 589
IWATSUKI, K., SUGAYA, K. and TAKIGAWA, M. Dynamic expression of pemphigus and desmosomal antigens by cultured keratinocytes, 16

JANSÉN, C.T. see SNELLMAN, E.
JANSEN, W. see BÖHLER, U.
JOHNSON, B.E. see FERGUSON, J.
JOHNSON, B.E. see GEORGE, S.A.
JOHNSON, M. and SHUSTER, S. Continuous formation of nail along the bed, 277
JOKURA, Y. see KITAJIMA, Y.
JOLY, P. see FUSADE, T.
JONES, C.E. see EADY, E.A.
JONES, M. see SANCHEZ-PEREZ, J.
JORENS, P.G. see AELVOET, G.E.
JOSHI, R.K., ATUKORALA, D.N., ABANMI, A., AL KHAMIS, O. and HALEEM, A. Successful treatment of Sweet's syndrome with doxycycline, 584
JUDGE, M.R. see LAWLOR, F.
JYRKINEN-PAKKASVIRTA, T. see SNELLMAN, E.

KALLIO, M. see SNELLMAN, E.

KAPLANSKI, G. see DURAND, J.M.
KATAYAMA, I. see SATOH, T.
KATAYAMA, I. see YAMAZAKI, S.
KAVANAGH, G.M., SANSOM, J.E., HARRISON, P., WARWICK, J.A. and PEACHEY, R.D. Tranexamic acid (Cyklokapron®)-induced fixed drug eruption, 229
KEALEY, T. see GUY, R.
KELLY, R., MARSDEN, R.A. and BEVAN, D. Exacerbation of psoriasis with GM-CSF therapy, 468
KERL, H. see VOLKENANDT, M.
KERR, K.M. see HEWITT, J.B.
KIKUCHI, A., SAKURAOKA, K., SHIMIZU, H. and NISHIKAWA, T. Immunohistochemical evaluation of epidermis overlying basal cell carcinomas, 644
KIRBY, J.D.T. see WILSON, A.G.MCT.
KIRSNER, R.S., PARDES, J.B. and FALANGA, V. Solitary fibrosing paraspinal plaque: solitary morphoea profunda?, 99
KIRTSCHIG, G. see BURROWS, N.P.
KITAGAWA, N. see IKEDA, M.
KITAJIMA, Y., JOKURA, Y. and YAOITA, H. Epidermolysis bullosa simplex, Dowling–Meara type. A report of two cases with different types of tonofilament clumping, 79
KITAMURA, W. see MIYAGAWA, S.
KNOBLER, R. see NEUMANN, R.A.
KOBZA-BLACK, A. see LAWLOR, F.
KOCH, O.M. see VOLKENANDT, M.
KOCK, D.F.M. see DERKSEN, J.
KODAMA, H. see IKEDA, M.
KOGA, T., IMAYAMA, S., HASHIZUME, T. and HORI, Y. Interferon-γ and interleukin-2 production by peripheral blood mononuclear cells from a patient with gold contact allergy, 226
KOGA, T., ISHIZAKI, H., MATSUMOTO, T. and HORI, Y. *In vitro* release of interferon-γ by peripheral blood mononuclear cells of patients with dermatophytosis in response to stimulation with trichophytin, 703
KOIZUMI, H. see SATO, K.C.
KOKOSCHKA, E.M. see NEUMANN, R.A.
KON, T. see SATO, K.C.
KOTEN, J.W. see DEN OTTER, W.
KRAMER, M.D. see GISSLER, H.M.
KRONES, R. see RÜBBEN, A.
KUMAKIRI, M. see SATO, K.C.
KUROKAWA, I. see HORIO, T.

LABOUCHE, A. see SASSOLAS, B.
LACOUR, J.PH., BODOKH, I., CASTANET, J., BEKRI, S. and ORTONNE, J.P. Porphyria cutanea tarda and antibodies to hepatitis C virus, 121
LACOUR, J.PH., MAQUART, F.X., BELLON, G., GILLERY, P., LEPEYTRE, P., ZIEGLER, G. and ORTONNE, J.P. Fibroblastic rheumatism: clinical, histological, immunohistological, ultrastructural and biochemical study of a case, 194
LAKE, B.D. see COLEMAN, R.
LANDA, N. see CALDERÓN, M.J.
LANE, D. see RO, Y.S.
LANG-MURITANO, M. see BIRCHER, A.J.
LANGAUER, S. see ITIN, P.H.
LANGNER, A., VERJANS, H., STAPÓR, V., MOL, M. and FRACZYKOWSKA, M. Topical calcitriol in the treatment of chronic plaque psoriasis: a double-blind study, 566
LANGTRY, J. see VAN NEER, F.
LANZI, G. see DYNE, K.M.
LAUHARANTA, J. see SNELLMAN, E.
LAURET, PH. see FUSADE, T.
LAVRIJSEN, A.P.M. see OESTMANN, E.
LAWLOR, F., BIRD, C., CAMP, R.D.R., BARLOW, R., BARR, R.M., KOBZA-BLACK, A., JUDGE, M.R. and GREAVES, M.W. Increased interleukin 6, but reduced interleukin 1, in delayed pressure urticaria, 500
LEBLANC, T. see RYBOJAD, M.
LEE, J.A. see RO, Y.S.
LEE, W.-L. see SOLOMON, B.A.
LEFEVRE, P. see DURAND, J.M.
LEIGH, I.M. see SCHOFIELD, J.K.
LENTNER, A. see BÖHLER, U.
LEONHARTSBERGER, H. see NEUMANN, R.A.
LEPEYTRE, P. see LACOUR, J.PH.
LEUTOLF, O., BULL, R.H., BATES, D.O. and MORTIMER, P.S. Capillary underperfusion in chronic venous insufficiency: a cause for leg ulceration?, 249
LEVELL, N. see BROWN, A.L.
LEVENE, G. see WHITTAKER, S.J.
LEVER, R.S. see MCHENRY, P.M.
LEVER, R.S. see STABLES, G.I.
LEVISON, D.A. see MCGREGOR, J.M.
LEWIS, H. see BAKER, B.S.
LEWIS, H.M. see POWLES, A.V.
LIDÉN, C., BERG, M., FÄRM, G. and WRANGSJÖ, K. Nail varnish allergy with far-reaching consequences, 57
LIDEN, S. see NORDLIND, K.
LIMAT, A. see BRAND, C.U.
LISA, F. see BERNENGO, M.G.
LOWRY, W.S. and ATKINSON, R.J. Mutant p53 oncogene expression in keratoacanthoma and squamous cell carcinoma, 708
LUELMO-AGUILAR, J., GONZALEZ-CASTRO, U. and CASTELLS-RODELLAS, A. Tufted hair folliculitis. A study of four cases, 454
LUOMA, J. see SNELLMAN, E.

MAAS, R.A. see DEN OTTER, W.
MAC NEIL, S., DAWSON, R.A., CROCKER, G., TUCKER, W.F.G., BITTINER, B., SINGLETON, J.G., HUNTER, T. and TIERNEY, D.F. Antiproliferative effects on keratinocytes of a range of clinically used drugs with calmodulin antagonist activity, 143
MCCULLAGH, P. and THEAKER, J.M. An audit of the clinical diagnosis of sebaceous cyst, 587

MACDONALD, D.M. see MCGREGOR, J.M.
MCFADDEN, J.P., NOBLE, W.C. and CAMP, R.D.R. Superantigenic exotoxin-secreting potential of staphylococci isolated from atopic eczematous skin, 631
MCGIBBON, D.H. see WHITTAKER, S.J.
MCGREGOR, J.M., YU, C.C-W., DUBLIN, E.A., BARNES, D.M., LEVISON, D.A. and MACDONALD, D.M. p53 immunoreactivity in human malignant melanoma and dysplastic naevi, 606
MCHENRY, P.M., ALLAN, J.G., RODGER, R.S.C. and LEVER, R.S. Nephrotoxicity due to azathioprine, 106
MACKIE, R.M. see BOTELLA, R.
MACKIE, R.M. see DWYER, P.K.
MACKIE, R.M. see MOSELEY, H.
MAIBACH, H. see ANDERSEN, P.
MAIBACH, H. see ANDERSEN, P.H.
MALLETT, R.B. see DUNNILL, M.G.S.
MANN, S. see YELL, J.A.
MAQUART, F.X. see LACOUR, J.PH.
MARKS, J. see BROWN, A.L.
MARKS, R. see ANSTEY, A.
MARKS, R. see FOLEY, P.
MARKS, R. see MILLS, C.M.
MARSCH, W.CH., MAYET, A. and WOLTER, M. Cutaneous fibroses induced by *Borrelia burgdorferi*, 674
MARSDEN, J.R. see CARMICHAEL, A.J.
MARSDEN, R.A. see DUNNILL, M.G.S.
MARSDEN, R.A. see KELLY, R.
MARSHALL, R.C. see VAN NESTE, J.J.
MAS, R. see CELASUN, B.
MATSUI, Y. see YAMAMURA, T.
MATSUMOTO, T. see KOGA, T.
MAYET, A. see MARSCH, W.CH.
MEENAN, F.O.C. see HEALY, E.
MENON, G.K. see PROKSCH, E.
MERK, H.F. see HERTL, M.
MEULENBELT, J. see VAN VLOTEN, W.A.
MIHOUT, M.F. see FUSADE, T.
MILIONI, K. see ANDERSEN, P.
MILLARD, P.R. see NAYAR, M.
MILLS, C.M. and MARKS, R. Acral epidermolytic hyperkeratosis, 342
MIYAGAWA, S., KITAMURA, W., MORITA, K., SAISHIN, M. and SHIRAI, T. Association of hyperimmunoglobulinaemia D syndrome with erythema elevatum diutinum, 572
MIYAUCHI, H. see HORIO, T.
MOL, M. see LANGNER, A.
MOOLENAAR, A.J. see DERKSEN, J.
MOREL, P. see RYBOJAD, M.
MORGAN, J.M. and ADAMS, S.J. Scleroderma and autoimmune thrombocytopenia associated with ingestion of L-tryptophan, 581
MORIKI, T. see IKEDA, M.
MORITA, K. see MIYAGAWA, S.
MORIWAKI, S., NISHIGORI, C., IMAMURA, S., YAGI, T., TAKAHASHI, C., FUJIMOTO, N. and TAKEBE, H. A case of xeroderma pigmentosum complementation group F with neurological abnormalities, 91
MORRIS, J. see ALAIBAC, M.
MORSCHES, B. see SCHOPF, R.E.
MORTIMER, P.S. see HARLAND, C.C.
MORTIMER, P.S. see LEUTOLF, O.
MORTIMER, P.S. see NICHOLSON, A.G.
MOSELEY, H., MACKIE, R.M. and FERGUSON, J. The suitability of SunCheck® patches and Tanscan® cards for monitoring the sunburning effectiveness of sunlight, 75
MOSELEY, H., THOMAS, R. and YOUNG, M. UVB lamps: a burning issue, 702
MUNRO, C. see BROWN, A.L.
MUNRO, D.D. see WILSON, A.G.MCT.
MURDOCH, D. Koilonychia in Sherpas, 592

NAUMANN, S. see SCHOPF, R.E.
NAYAR, M., SCHOMBERG, K., DAWBER, R.P.R. and MILLARD, P.R. A clinicopathological study of scarring alopecia, 533
NERI, I. see PATRIZI, A.
NEUMANN, CH. see FAULER, J.
NEUMANN, R.A., LEONHARTSBERGER, H., BÖHLER-SOMMEREGGER, K., KNOBLER, R., KOKOSCHKA, E.M. and HÖNIGSMANN, H. Results and tissue healing after copper-vapour laser (at 578 nm) treatment of port wine stains and facial telangiectasias, 306
NEWTON, J.A. see BATAILLE, V.
NEWTON, J.A. see HUGHES, B.R.
NG, Y.L. see WHITTAKER, S.J.
NICHOLSON, A.G., HARLAND, C.C., BULL, R.H., MORTIMER, P.S. and COOK, M.G. Chemically induced cosmetic alopecia, 537
NISHIDA, K. see ISONOKAMI, M.
NISHIGORI, C. see MORIWAKI, S.
NISHIKAWA, T. see AKIYAMA, M.
NISHIKAWA, T. see KIKUCHI, A.
NISHIOKA, K. see SATOH, T.
NISHIOKA, K. see YAMAZAKI, S.
NIXON, R. see FOLEY, P.
NOBLE, W.C. see MCFADDEN, J.P.
NONOMURA, K., YAMANISHI, K., HOSOKAWA, Y., DOI, H., HIRANO, J., FUKUSHIMA, S. and YASUNO, H. Localization of transglutaminase 1 mRNA in normal and psoriatic epidermis by non-radioactive *in situ* hybridization, 23
NORDLIND, K. and LIDEN, S. *In vitro* lymphocyte reactivity to heavy metal salts in the diagnosis of oral mucosal hypersensitivity to amalgam restorations, 38
NOVELLI, M. see BERNENGO, M.G.

O'DONNELL, B.F. and FOULDS, I.S. Thyroid carcinoma presenting as angio-oedema, 588
OESTMANN, E., LAVRIJSEN, A.P.M., HERMANS, J. and PONEC, M. Skin barrier function in healthy volunteers as

assessed by transepidermal water loss and vascular response to hexyl nicotinate: intra- and inter-individual variability, 130
OHKAWARA, A. see SATO, K.C.
OKADA, N. see ISONOKAMI, M.
ONO, T. see EGAWA, K.
ORFANOS, C.E. see ZOUBOULIS, CH.C.
ORTONNE, J.P. see LACOUR, J.PH.
OSTLERE, L.S. see STEVENS, H.P.
OSTLERE, L.S., HARRIS, D. and RUSTIN, M.H.A. Scabies associated with a bullous pemphigoid-like eruption, 217
OSTLERE, L.S., WELLS, J., STEVENS, H.P., PRENTICE, G. and RUSTIN, M.H.A. Neutrophilic eccrine hidradenitis with an unusual presentation, 696

PARDES, J.B. see KIRSNER, R.S.
PASQUINELLI, C. see PATRIZI, A.
PATRIZI, A., NERI, I., DI LERNIA, V., PASQUINELLI, C. and BADIALI DE GIORGI, L. Lamellar ichthyosis with laminated membrane structures, 348
PEPPALL, L. see YIP, J.
PFALTZ, M. see BIRCHER, A.J.
PIGATTO, P.D. see SCHMITT, E.C.
POEL, J. see VAN VLOTEN, W.A.
PONEC, M. see OESTMANN, E.
POTTIER, A. see WILLIAMS, H.C.
POWLES, A. see BAKER, B.S.
POWLES, A.V., COOK, T., HULME, B., BAKER, B.S., LEWIS, H.M., THOMAS, E., VALDIMARSSON, H. and FRY, L. Renal function and biopsy findings after 5 years' treatment with low-dose cyclosporin for psoriasis, 159
PRENTICE, G. see OSTLERE, L.S.
PRIVAT, Y. see HESSE, S.
PROKSCH, E., HOLLERAN, W.M., MENON, G.K., ELIAS, P.M. and FEINGOLD, K.R. Barrier function regulates epidermal lipid and DNA synthesis, 473

QUILES, N. see DURAND, J.M.
QUINN, A.G. see CAMPBELL, C.
QUINN, A.G. see RO, Y.S.

RÄSÄNEN, L. and HASAN, T. Allergy to systemic and intralesional corticosteroids, 407
REES, J. see TILING-GROSSE, S.
REES, J.L. see CAMPBELL, C.
REES, J.L. see RO, Y.S.
REHDER, M. see SCHOPF, R.E.
REMOND, B., ARACTINGI, S., BLANC, F., VEROLA, O., VIGNON, D. and DUBERTRET, L. Umbilical Paget's disease and prostatic carcinoma, 448
REUNANEN, A. see SNELLMAN, E.
RICHARD, M.A. see DURAND, J.M.
RIDDEN, C. see GUY, R.
RO, Y.S., COOPER, P.N., LEE, J.A., QUINN, A.G., HARRISON, D., LANE, D., HORNE, C.H.W., REES, J.L. and ANGUS, B. p 53 protein expression in benign and malignant skin tumours, 237
RODGER, R.S.C. see MCHENRY, P.M.
ROELEN, L.M. see AELVOET, G.E.
ROGERS, S. see HEALY, E.
RÜBBEN, A., KRONES, R., SCHWETSCHENAU, B. and GRUSSENDORF-CONEN, E.-I. Common warts from immunocompetent patients show the same distribution of human papillomavirus types as common warts from immunocompromised patients, 264
RULO, H.F.C. see GERRITSEN, M.J.P.
RUSSELL JONES, R. see BURROWS, N.P.
RUSTIN, M. see WHITTAKER, S.J.
RUSTIN, M.H.A. see BURROWS, N.P.
RUSTIN, M.H.A. see OSTLERE, L.S.
RUSTIN, M.H.A. see STEVENS, H.P.
RYAN, T.J. see YELL, J.A.
RYBOJAD, M., LEBLANC, T., FLAGEUL, B., BERNARD, PH., MOREL, P., SCHAISON, G., D'AGAY, M.-F. and BORRADORI, L. Paraneoplastic pemphigus in a child with a T-cell lymphoblastic lymphoma, 418

SAISHIN, M. see MIYAGAWA, S.
SAKUNTABHAI, A., DIFFEY, B.L. and FARR, P.M. Response of psoriasis to psoralen-UVB photochemotherapy, 296
SAKUNTABHAI, A., FARR, P.M. and DIFFEY, B.L. PUVA erythemal sensitivity depends on plasma psoralen concentration and UVA sensitivity, 561
SAKUNTABHAI, A., SHARPE, G.R. and FARR, P.M. Response of psoriasis to twice weekly PUVA, 166
SAKURAOKA, K. see KIKUCHI, A.
SAMPAIO, S.A.P. see CASTRO, L.G.M.
SANCHEZ-PEREZ, J., FERNANDEZ-HERRERA, J., SOLS, M., JONES, M. and GARCIA DIEZ, A. Leucocytoclastic vasculitis in subacute cutaneous lupus erythematosus, 469
SANSOM, J.E. see KAVANAGH, G.M.
SARKANY, I. see GAYLARDE, P.M.
SASSOLAS, B., LABOUCHE, A. and GUILLET, G. Herpes simplex virus infection associated with bullous pemphigoid, 358
SATO, K. see TAKEMURA, T.
SATO, K.C., KUMAKIRI, M., KOIZUMI, H., ANDO, M., OHKAWARA, A., FUJIOKA, Y. and KON, T. Lichenoid skin lesions as a sign of β_2-microglobulin-induced amyloidosis in a long-term haemodialysis patient, 686
SATOH, T., YOKOZEKI, H., KATAYAMA, I. and NISHIOKA, K. A new variant of punctate acrokeratoderma associated with a pigmentary disorder, 693
SCHÄFER, E. see DUMMER, R.
SCHAISON, G. see RYBOJAD, M.
SCHMITT, E.C., PIGATTO, P.D., BONESCHI, V., BUBOLA, D. and FINZI, A.F. Pyoderma gangrenosum treated with low-dose cyclosporin, 230
SCHOFIELD, J.K., TATNALL, F.M. and LEIGH, I.M. Recurrent

erythema multiforme: clinical features and treatment in a large series of patients, 542
SCHOMBERG, K. see NAYAR, M.
SCHOPF, R.E., NAUMANN, S., REHDER, M. and MORSCHES, B. Soluble intercellular adhesion molecule-1 levels in patients with psoriasis, 34
SCHÜSSLER, M. see ZILLIKENS, D.
SCHWETSCHENAU, B. see RÜBBEN, A.
SEED, P. see WILLIAMS, H.C.
SEPP, N. and FRITSCH, P.O. Can cyclosporin A induce permanent remission of atopic dermatitis?, 213
SEYS, B. see FORTON, F.
SHALITA, A.R. see SOLOMON, B.A.
SHARPE, G.R. see SAKUNTABHAI, A.
SHEEHAN-DARE, R.A. see BOTTOMLEY, W.W.
SHEEHAN-DARE, R.A. and COTTERILL, J.A. Copper vapour laser treatment of port wine stains: clinical evaluation and comparison with conventional argon laser therapy, 546
SHERIF, A. see HEWITT, J.B.
SHIMIZU, H. see KIKUCHI, A.
SHIRAI, T. see MIYAGAWA, S.
SHRIVASTAVA, A. and THISTLETHWAITE, D. Erythema nodosum and arthritis with *Salmonella enteritidis* enteritis, 704
SHUSTER, S. see JOHNSON, M.
SINCLAIR, R. see YELL, J.A.
SINDHVANANDA, J. see HORIO, T.
SINGLETON, J.G. see MAC NEIL, S.
SMITH, C.H., BARKER, J.N.W.N. and HAY, R.J. A case of chromoblastomycosis responding to treatment with itraconazole, 436
SMITH, N.P. see WHITTAKER, S.J.
SNELLMAN, E., LAUHARANTA, J., REUNANEN, A., JANSÉN, C.T., JYRKINEN-PAKKASVIRTA, T., KALLIO, M., LUOMA, J., AROMAA, A. and WAAL, J. Effect of heliotherapy on skin and joint symptoms in psoriasis: a 6-month follow-up study, 172
SOH, H. see HORIO, T.
SOH, H., HOSOKAWA, H. and ASADA, Y. IgE and its related phenomena in bullous pemphigoid, 371
SOLOMON, B.A., LEE, W.-L., GEEN, S.C., SUNTHARALINGAM, K., FIKRIG, S.M. and SHALITA, A.R. Modification of neutrophil functions by naftifine, 393
SOLS, M. see SANCHEZ-PEREZ, J.
SOUBEYRAND, J. see DURAND, J.M.
SOYER, H.P. see VOLKENANDT, M.
SPEIGHT, E.L. Asymmetrical scabies burrows in a hemiplegic patient, 467
SPEIGHT, E.L., ESSEX, T.J.H. and FARR, P.M. The study of plaques of psoriasis using a scanning laser-Doppler velocimeter, 519
STABLES, G.I. and LEVER, R.S. Toxic epidermal necrolysis and systemic corticosteroids, 357
STANKLER, L. see HEWITT, J.B.
STAPÓR, V. see LANGNER, A.
STAUGHTON, R.C.D. see VAN NEER, F.
STEVENS, D.A. see CASTRO, L.G.M.
STEVENS, H.P. see OSTLERE, L.S.
STEVENS, H.P., OSTLERE, L.S., BEGENT, R.H.J., DOOLEY, J.S. and RUSTIN, M.H.A. Pellagra secondary to 5-fluorouracil, 578
STRACHAN, D. see WILLIAMS, H.C.
SUGAYA, K. see IWATSUKI, K.
SUGIURA, M. see AKIYAMA, M.
SUNTHARALINGAM, K., see SOLOMON, B.A.
SUVARNA, S.K., BAGARY, M. and GLAZER, G. Radiation-induced squamous carcinoma arising within a seborrhoeic keratosis, 443

TAIEB, A. see VAN NESTE, J.J.
TAKAHASHI, C. see MORIWAKI, S.
TAKEBE, H. see MORIWAKI, S.
TAKEMURA, T., HIBINO, T. and SATO, K. Urokinase-type plasminogen activator in human eccrine sweat, 178
TAKIGAWA, M. see IWATSUKI, K.
TATNALL, F.M. see SCHOFIELD, J.K.
TAYLOR, J.P. see EADY, E.A.
TEBBE, B. see ZOUBOULIS, CH.C.
THEAKER, J.M. see MCCULLAGH, P.
THISTLETHWAITE, D. see SHRIVASTAVA, A.
THOMAS, E. see POWLES, A.V.
THOMAS, R. see MOSELEY, H.
THOMAS, T.H. see BROWN, A.L.
THOMINE, W. see FUSADE, T.
THOMPSON, S. see FOLEY, P.
TIDMAN, M.J. see HEPBURN, N.C.
TIERNEY, D.F. see MAC NEIL, S.
TILING-GROSSE, S. and REES, J. Assessment of area of involvement in skin disease: a study using schematic figure outlines, 69
TREPO, C. see DURAND, J.M.
TSIKAS, D. see FAULER, J.
TUCKER, W.F.G. see MAC NEIL, S.
TURPEINEN, M. see AALTO-KORTE, K.

VALDIMARSSON, H. see BAKER, B.S.
VALDIMARSSON, H. see POWLES, A.V.
VALLANCE, P.J.T. see DUNNILL, M.G.S.
VAN DE KERKHOF, P.C.M. see GERRITSEN, M.J.P.
VAN ERP, P.E.J. see GERRITSEN, M.J.P.
VAN NEER, F., ZEMELMAN, V., CERIO, R., LANGTRY, J. and STAUGHTON, R.C.D. The role of factor XIIIa-positive dermal dendrocytes in HIV-1-positive psoriatics, 29
VAN NESTE, D.J.J., GILLESPIE, J.M., MARSHALL, R.C., TAIEB, A. and DE BROUWER, B. Morphological and biochemical characteristics of trichothiodystrophy-variant hair are maintained after grafting of scalp specimens on to nude mice, 384
VAN SETERS, A.P. see DERKSEN, J.
VAN VLIJMEN-WILLEMS, I. see GERRITSEN, M.J.P.

VAN VLOTEN, W.A., COOIJMANS, A.C.M., POEL, J. and MEULENBELT, J. Concentrations of nitrogen mustard in the air during topical treatment of patients with mycosis fungoides, 404
VERJANS, H. see LANGNER, A.
VEROLA, O., see REMOND, B.
VIGNON, D. see REMOND, B.
VITELLARO-ZUCCARELLO, L. see DYNE, K.M.
VOLKENANDT, M., SOYER, H.P., CERRONI, L., KOCH, O.M., ATZPODIEN, J. and KERL, H. Molecular detection of clone-specific DNA in hypopigmented lesions of a patient with early evolving mycosis fungoides, 423

WAAL, J. see SNELLMAN, E.
WAINWRIGHT, N.J. see GEORGE, S.A.
WALLER, P.C. see COCKBURN, E.M.
WARWICK, J.A. see KAVANAGH, G.M.
WATT, D.C. see DWYER, P.K.
WEBBER, I.R. and BACK, D.J. Effect of etretinate on cyclosporin metabolism *in vitro*, 42
WELLS, J. see OSTLERE, L.S.
WHITTAKER, S.J., NG, Y.L., RUSTIN, M., LEVENE, G., MCGIBBON, D.H. and SMITH, N.P. HTLV-1-associated cutaneous disease: a clinicopathological and molecular study of patients in the U.K., 483
WIENERT, V. see BOHLER, U.
WILKINSON, R. see BROWN, A.L.
WILLIAMS, H.C., POTTIER, A. and STRACHAN, D. The descriptive epidemiology of warts in British schoolchildren, 504
WILLIAMS, H.C. and SEED, P. Inadequate size of 'negative' clinical trials in dermatology, 317
WILSON, A.G.MCT., CLARK, I., HEARD, S.R., MUNRO, D.D. and KIRBY, J.D.T. Immunoblotting of streptococcal antigens in guttate psoriasis, 151
WILSON, C.L. see BURGE, S.M.
WOJNAROWSKA, F. see BURGE, S.M.
WOLTER, M. see MARSCH, W.CH.
WOOD, S.M. see COCKBURN, E.M.
WRANGSJÖ, K. see LIDÉN, C.

YAGI, T. see MORIWAKI, S.
YAMAMOTO, Y. see IKEDA, M.
YAMAMURA, T., HONDA, T., MATSUI, Y., YOSHIKAWA, K. and AOZASA, K. Ultrastructural study of extramammary Paget's disease—histologically showing transition from bowenoid pattern to Paget's disease pattern, 189
YAMANISHI, K. see NONOMURA, K.
YAMAZAKI, S., KATAYAMA, I., YOKOZEKI, H. and NISHIOKA, K. Reproductive tract tumours in Peutz–Jeghers syndrome, 466
YAOITA, H. see KITAJIMA, Y.
YASUNO, H. see NONOMURA, K.
YELL, J.A. and BURGE, S.M. Lupus erythematosus profundus treated with clobetasol propionate under a hydrocolloid dressing, 103
YELL, J.A., SINCLAIR, R., MANN, S., FLEMING, K. and RYAN, T.J. Human papillomavirus type 6-induced condylomata: an unusual complication of intertrigo, 575
YIP, J., PEPPALL, L., GAWKRODGER, D.J. and CUNLIFFE, W.J. Light cautery and EMLA® in the treatment of chloracne lesions, 313
YOKOZEKI, H. see SATOH, T.
YOKOZEKI, H. see YAMAZAKI, S.
YOSHIKAWA, K. see ISONOKAMI, M.
YOSHIKAWA, K. see YAMAMURA, T.
YOSHIMURA, K. see EGAWA, K.
YOUNG, M. see MOSELEY, H.
YU, C.C-W. see MCGREGOR, J.M.
YU, R. see ALAIBAC, M.
YU, R.C.H. and CHU, T.C. Allopurinol-induced toxic pustuloderma, 95

ZEMELMAN, V. see VAN NEER, F.
ZENTNER, A. see ZILLIKENS, D.
ZIEGLER, G. see LACOUR, J.PH.
ZILLIKENS, D., AMBACH, A., ZENTNER, A., DUMMER, R., SCHÜSSLER, M., BURG, G. and BRÖCKER, E.B. Evidence for cell-mediated immune mechanisms in the pathology of pemphigus, 636
ZOUBOULIS, CH.C., BÜTTNER, P., TEBBE, B. and ORFANOS, C.E. Anticardiolipin antibodies in Adamantiades–Behçet's disease, 281
ZWINGENBERGER, K. see ALAIBAC, M.